

## 33. Mixed Gas Closed Circuit Rebreather Diver, Unit Specific

\* Discovery MK VI / SE7EN / Se7en must be equipped with full 60 M upgrades, including 60M-emodule and counterlungs with manual addition valves.

### 33.1 Introduction

This is the intermediate level certification course for divers wishing to utilize a closed circuit rebreather (CCR) for mixed gas diving. The objective of the course is to train divers in the benefits, hazards and proper procedures for mixed gas diving on the unit specific CCR, utilizing a mixed gas diluent containing 16 percent or greater oxygen, and to develop intermediate CCR diving skills appropriate to technical diving to a maximum depth of 60 metres / 200 feet.

### 33.2 Qualifications of Graduates

Upon successful completion of this course, graduates may engage in technical diving activities utilizing the unit specific CCR to a maximum of 60 metres / 200 feet, utilizing a mixed gas diluent containing 16 percent or greater oxygen provided:

1. The diving activities approximate those of training
2. The areas of activities approximate those of training
3. Environmental conditions approximate those of training

Upon successful completion of this course, graduates are qualified to enroll in:

1. TDI Advanced Mixed Gas Closed Circuit Rebreather Diver, unit specific.

### 33.3 Who May Teach

An active TDI Closed Circuit Rebreather Instructor, with a unit specific TDI Mixed Gas Instructor rating.

### 33.4 Student to Instructor Ratio

#### Academic

1. Unlimited, so long as adequate facility, supplies and time are provided to ensure comprehensive and complete training of subject matter

#### Confined Water (swimming pool-like conditions)

1. N/A

#### Open Water (ocean, lake, quarry, spring, river or estuary)

1. A maximum of 3 students per active TDI Instructor is allowed
2. The ratio should be reduced as appropriate due to environmental or operational constraints

### 33.5 Student Prerequisites

1. Minimum age 18
2. Provide a verified log of a minimum of 50 rebreather hours distributed over a minimum of 50 dives on the specific rebreather. Valid logged dives must be deeper than 9 metres / 20 feet, at least 20 must be deeper than 30 metres / 100 feet, and at least 10 dives requiring staged decompression. If the diver has 50 hours on another CCR unit recognized by TDI, only 25 hours/25 dives are required to be on the specific unit. If completing a unit crossover, provide proof of at least 10 logged CCR dives in the last 12 months.
3. Certified as a TDI Air Diluent Decompression Procedures Rebreather/ TDI CCR Helitrox Diluent Decompression Procedures Diver course or equivalent from agencies recognized by TDI

### 33.6 Course Structure and Duration

#### Open Water Execution

1. Open water drills practice air diluent dive and 50m fully-equipped CCR diver surface tow must be completed prior to conducting mixed gas diluent training dives
2. Minimum of 360 minutes open water training to be completed over a minimum of 6 dives including 1 equipment configuration and drills practice air diluent dive to a maximum 40 metres / 130 feet and a minimum 60 minute duration.
3. All subsequent dives to build incrementally in no greater than 10 metres / 33 feet steps

4. A minimum of 5 dives must be conducted on mixed gas diluent.
5. All mixed gas dives are to be deeper than 40 metres / 130 feet, utilizing a mixed gas diluent containing 16 percent or greater oxygen, to a maximum depth of 60 metres/200 feet
6. A minimum of four dives must be decompression dives. At least two dives should be deeper than 50 metres/165 feet and at least one dive must have a total run time greater than 60 minutes. Decompression obligation for the first two decompression dives must not exceed 30 minutes, and for the third and subsequent decompression dives, must not exceed 60 minutes.

### Course Structure

1. TDI allows instructors to structure courses according to the number of students participating and their skill level
2. Oral examinations are permitted if the exam is not available in a language the student understands

### Duration

1. Minimum of 6 hours for academic development and a further 2 hours for equipment configuration workshop

### Crossover

1. If a student already qualified as TDI Mixed Gas Diluent CCR Diver or equivalent from agencies recognized by TDI and wishes to qualify on another CCR recognized by TDI, the student must meet all crossover requirements for Air Diluent Deco or Helitrox Deco CCR and follow all unit specific mixed gas diluent course standards with the exception of:
  - a. Minimum of 120 minutes open water training to be completed over a minimum of 2 dives to a maximum of 60 metres / 200 feet.
  - b. Must demonstrate proficiency in all required skills at the Mixed Gas diluent level

## 33.7 Administrative Requirements

The following are the administrative tasks:

1. Collect the course fees from all the students
2. Ensure that the students have the required equipment
3. Communicate the training schedule to the students
4. Have the students complete the:
  - a. *TDI Liability Release and Express Assumption of Risk Form*
  - b. *TDI Medical Statement Form*

### Upon successful completion of the course the instructor must:

1. Download and retain student's dive logs of all training dives
2. Issue the appropriate TDI certification by submitting the TDI Diver Registration Form to TDI Headquarters/Regional Office or registering the students online through member's area of the TDI website

### 33.8 Required Equipment

#### The following are required for this course:

1. *TDI Diving Rebreathers* Student Manual or eLearning
2. *TDI Diving Rebreathers* Instructor Guide
3. *TDI Extended Range and Trimix* Student Manual or eLearning
4. *TDI Extended Range and Trimix* Instructor Guide
5. *TDI CCR Preflight Checklist*
6. *TDI Diving Rebreathers* PowerPoint Presentation
7. Unit specific rebreather manual
8. Unit specific rebreather examination if required by the manufacturer
9. Manufacturer's Build Checklist
10. Manufacturer's manual and updates

#### The following equipment is required for each student:

1. A complete closed circuit rebreather configured within the manufacturers recommendations; this should be the student's personal unit
2. One (1) CCR mixed gas computer and 1 backup OC/CCR computer for bailout in the event of a system failure
3. Bailout gas cylinders (minimum 2) with the appropriate capacity for the planned dive, each equipped with a first and second stage and SPG.
4. Mask, backup mask, fins and a suitable line-cutting device
5. Slate and pencil
6. Reel with a minimum of 60 metres / 200 feet of line
7. Reel with a minimum of 30 metres / 100 feet of line
8. Two lift bags / delayed surface marker buoys (DSMB's) with adequate lift and size for the dive environment. Required for open water environments only.
9. Exposure suit adequate for the open water environment where training will be conducted
10. Access to an oxygen analyzer
11. Access to a helium analyzer
12. Adequate weight

### 33.9 Required Subject Areas

The *TDI Diving Rebreathers Student Manual* or eLearning is required for use as a review/recap document. The instructor may use any additional text or materials they feel will represent the topic in an educational manner. The following topics must be covered during the course:

1. Gas Physiology
  - a. Oxygen (O<sub>2</sub>) toxicity
  - b. Hypoxia
  - c. Nitrogen absorption
  - d. Helium absorption
  - e. HPNS
  - f. Carbon dioxide (CO<sub>2</sub>) toxicity
  - g. Gas consumption
  - h. Gas mixing
2. Formula Work
  - a. Oxygen (O<sub>2</sub>) metabolizing calculations
  - b. Manually controlled closed circuit rebreathers
  - c. Equivalent narcosis depth theory
  - d. Central nervous system (CNS) tracking
  - e. Oxygen tracking units (OTU)
  - f. Gas management
3. Dive Tables.
  - a. Creation of custom dive tables appropriate to dive depths
  - b. Creation of lower percentage of oxygen (PO<sub>2</sub>) diluent to support loop flushing and bailout at depth
4. Dive Computers.
  - a. Mix adjustable
  - b. Constant partial pressure of oxygen (PPO<sub>2</sub>)
  - c. Oxygen (O<sub>2</sub>) integrated
  - d. Decompression conservatism/Gradient factor selection
5. Dive Planning
  - a. Operational planning
  - b. Scrubber duration
  - c. Gas requirements including bailout scenarios
  - d. Decompression on a CCR
  - e. Oxygen limitations
  - f. Nitrogen limitations
  - g. Helium limitations

6. Unit-specific checklist
7. Equipment Maintenance
  - a. Fuel cell management
    - i. Date stamps
    - ii. Replacement
  - b. Loop configurations
  - c. Additional fitted equipment and modifications
    - i. Auto diluent addition
    - ii. Dual mode mouthpieces
    - iii. Heads up display
    - iv. Additional manual injectors
    - v. Integrating oxygen monitors for dive computers

### 33.10 Required Skill Performance and Graduation Requirements

**The following open water skills must be completed by the student during open water dives with the following course limits:**

1. No dives deeper than 60 metres / 200 feet
2. No dives shallower than 40 meters / 130 feet, other than the 1 air diluent configuration dive are credited toward the dive requirements. Subsequent training dives in shallow water are permitted if necessary during the course.
3. Equivalent narcosis depth not to exceed 30 metres / 100 feet
4. Calculate bailout gas at 45 litres /1.6 cubic feet per minute usage for bottom mix and at 30 liters/1.1 cubic feet per minute for decompression gas(es)
5.  $PO_2$  not to exceed manufacturer recommendation or a working limit of 1.3 bar during the bottom phase of the dive and 1.4 bar during the decompression phase of the dive.
6. Diluent  $PO_2$  should not exceed 1.2 at maximum depth
7. All dives to be completed within appropriate fixed  $PO_2$  decompression tables or decompression planning software
8. All dives to be completed within CNS percentage limits with a recommend maximum of 80 percent of the total  $PO_2$  CNS limit
9. The student is only certified for CCR mixed gas diving on the rebreather being used

### Land Drills

1. Build unit based on manufacturer's specifications using manufacturer's manual/build checklist
2. Demonstrate familiarity with basic and intermediate hand signals
3. Select and prepare equipment suitable for soft overhead environment with long decompression obligations
4. Conduct team-oriented drills for lift bag deployment and bailout procedures
5. Drills for buddy rescue
6. Properly analyze all gas mixtures to be used
7. Demonstrate adequate pre-dive planning
  - a. Limits based on system performance and scrubber duration
  - b. Limits based on bailout gas requirements
  - c. Limits based on oxygen exposures at chosen PPO<sub>2</sub> levels
  - d. Limits based on manually controlled closed circuit rebreathers
  - e. Limits based on nitrogen absorption at planned depth and PPO<sub>2</sub> (set-point) level
  - f. Limits based on helium absorption
  - g. Appropriate selection of decompression conservatism/gradient factors for planned dive
  - h. Correct narcotic depth planning and diluent selection to allow cell flushing at target depth (diluent should not exceed a PO<sub>2</sub> of 1.2 at maximum planned depth)

### Pre-dive Drills

1. Conduct pre-dive checks using TDI Pre-flight checklist
2. Use START\* before every dive
3. Stress analysis and mitigation

### Open Water Skills:

1. All skills must be demonstrated by the instructor on the unit-specific CCR
2. Show good awareness of team members through communications, proximity and team-oriented dive practices
3. Demonstrate buoyancy control; ability to hover at fixed position in water column without moving hands or feet
4. Mask removal and replacement, deploy backup mask
5. Properly execute a recovery from a system failure and conclude the dive and decompression on open circuit gases carried from a depth greater than 30 metres/100 feet

6. Demonstrate ability to plug in and share off-board gas, including sharing/swapping of off-board bailout cylinders
7. Properly execute a recovery from system failure and conclude the dive and decompression with the unit in manual mode
8. Gas shutdowns and loss of gas, correct choice and switching to off board gases
9. Broken hoses, catastrophic failure scenarios
10. Flooded absorbent canister
11. Cell errors
12. SCR drill (minimum of 10 minutes)
13. Oxygen rebreather mode in depths less than 6 metres / 20 feet
14. Stop at 3 to 6 metres / 10 to 20 feet on descent for leak bubble check
15. Demonstrate competence managing 2 bailout cylinders, including drop and recovery while maintaining position in the water column
16. Deployment of a lift bag / delayed surface marker buoy (DSMB) at depth and mid water
17. Simulate failed lift bag / DSMB deployment
18. On 2 of the dives, demonstrate an ascent with ascent reel and lift bag and perform staged decompression
19. Electronics systems monitoring for PPO<sub>2</sub> levels
20. Cell validation checks with appropriate use of diluent and oxygen
21. Proper execution of the dive within all pre-determined dive limits
22. Demonstration of decompression stops at pre-determined depths
23. Demonstrate controlled ascent with simulated toxed diver including surface tow at least 50 metres / 165 feet with equipment removal on surface, in water too deep to stand in

**In order to complete the course and achieve the TDI Mixed Gas CCR rating the student must:**

1. Complete to the instructor's satisfaction all confined and open water skill development sessions
2. Demonstrate mature, sound judgment concerning dive planning and execution
3. Satisfactorily complete the TDI Extended Range and Trimix examination with a minimum score of 80 percent
4. Course must be completed within 6 weeks from the starting date
5. Complete a refresher course following a period of inactivity greater than 6 months following the course